

SAFETY DATA SHEET

Page 1 of 4

1. IDENTIFICATION

PRODUCT NAME: MIXMATE SANITATION SYSTEM DISINFECTANT 256

RECOMMENDED USE: QUAT DISINFECTANT

RESTRICTIONS ON USE: DO NOT USE IN A MANNER INCONSISTENT WITH THE LABEL.

LABEL BRAND: U S CHEMICAL

SDS 5116731M CODE 5116791, 5374351, 5497247, 5501584, 101105862

US CHEMICAL CORPORATION 316 HART STREET WATERTOWN, WI 53094 USA

MEDICAL EMERGENCY: 1-866-923-4913 USA SPILL EMERGENCY: 1-800-424-9300 USA

PRODUCT INFORMATION: 1-800-558-9566 USA (8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)

INTERNET ADDRESS: www.uschemical.com

2. HAZARD(S) IDENTIFICATION

CLASSIFICATION: FLAMMABLE LIQUIDS (CATEGORY 3),

SKIN CORROSION (CATEGORY 1C), EYE DAMAGE (CATEGORY 1),

LABEL ELEMENTS

SIGNAL WORD: DANGER

PICTOGRAMS: FLAME, CORROSION

HAZARD STATEMENTS: FLAMMABLE LIQUID AND VAPOR. CAUSES SEVERE SKIN BURNS

AND SERIOUS EYE DAMAGE.

PRECAUTIONARY STATEMENTS: Wear chemical-splash safety goggles, chemical-resistant protective gloves and protective clothing. Avoid contact with eyes, skin and clothing. Do not breathe vapors or mists. Do not eat, drink, or smoke when using this product. Wash hands and affected areas thoroughly after handling. Keep away from heat, sparks, open flames and hot surfaces. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If conscious, dilute by drinking up to a cupful of milk or water as tolerated. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

START FIRST AID. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

EMERGENCY TELEPHONE: 1-866-923-4913

In Case of Fire: Use dry chemical, carbon dioxide or alcohol-resistant foam for extinction.

Storage: Store locked up. Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents in accordance with all federal, state and local applicable laws and regulations.

KEEP OUT OF REACH OF CHILDREN.

HAZARDS NOT OTHERWISE CLASSIFIED: Not applicable.

3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT(S)	CAS#	WEIGHT %
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	32426-11-2	6.510
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	5538-94-3	3.255
DIDECYL DIMETHYL AMMONIUM CHLORIDE	7173-51-5	3.255
ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE	68424-85-1	8.680
ETHYL ALCOHOL	64-17-5	4.77
OTATE BIOLIT TO KNOW EDA EVENDT MINTUDE		

STATE RIGHT TO KNOW: EPA EXEMPT MIXTURE.

INGREDIENT DISCLOSURE: FOR MORE INGREDIENT INFORMATION VISIT www.uschemical.com.

4. FIRST-AID MEASURES

Page 2 of 4

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING FOR AT LEAST 15 MINUTES. IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER FOR AT LEAST 15 MINUTES. WASH CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED: RINSE MOUTH. Do NOT INDUCE VOMITING. IF CONSCIOUS, DILUTE BY DRINKING UP TO A CUPFUL OF MILK OR WATER AS TOLERATED. IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.

START FIRST AID. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

EMERGENCY TELEPHONE: 1-866-923-4913

MOST IMPORTANT SYMPTOMS / EFFECTS: CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE BLINDNESS WITHOUT IMMEDIATE FIRST AID. CAUSES BURNS AND SERIOUS DAMAGE TO MOUTH, THROAT AND STOMACH. CORROSIVE TO ALL BODY TISSUES.

MEDICAL CONDITIONS AGGRAVATED: NONE KNOWN.

NOTE TO PHYSICIAN: CALL 1-866-923-4913 FOR EXPOSURE MANAGEMENT ASSISTANCE. PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE.

5. FIRE-FIGHTING MEASURES

CHEMICAL HAZARDS: CORROSIVE. FLAMMABLE. DOES NOT SUSTAIN COMBUSTION. COMBUSTION PRODUCT HAZARDS: OXIDES OF CARBON AND OTHER FUMES. METHODS: SELECT EXTINGUISHER AND METHODS BASED ON FIRE SIZE AND TYPE. EQUIPMENT: WEAR SCBA AND FULL PROTECTIVE GEAR AS CONDITIONS WARRANT. NFPA RATING: HEALTH-3/FLAMMABILITY-2/ INSTABILITY-0/SPECIAL HAZARD-N.AP. SUITABLE EXTINGUISHERS: DRY CHEMICAL, CO2, OR ALCOHOL-RESISTANT FOAM. UNSUITABLE EXTINGUISHERS: DO NOT USE STRAIGHT STREAMS OF WATER FOR CLASS B (LIQUID) FIRES. USE OF WATER SPRAY WHEN FIGHTING FIRE MAY BE INEFFICIENT.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ELIMINATE ALL IGNITION SOURCES. EVACUATE UNPROTECTED PERSONNEL FROM AREA. WEAR PERSONAL PROTECTION. SEE SECTION 8. VENTILATE AREA IF NEEDED. BE CAREFUL NOT TO SLIP. WASH THOROUGHLY AFTER CLEAN-UP. ENVIRONMENTAL PRECAUTIONS: ELIMINATE ALL IGNITION SOURCES. PREVENT SPILL FROM ENTERING DRAIN, STORM SEWER OR SURFACE WATERWAY. PREVENT WATER AND SOIL CONTAMINATION.

CLEAN-UP METHODS: SMALL SPILLS MAY BE WIPED UP AND RINSED WITH WATER. FOR LARGER SPILLS, DIKE TO CONTAIN. PUMP TO LABELED CONTAINER OR ABSORB SPILLAGE AND SCOOP UP WITH INERT ABSORBENT MATERIAL. AFTER SPILL COLLECTION, RINSE AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES.

7. HANDLING AND STORAGE

HANDLING: FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INHALATION, INGESTION, AND CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT TASTE OR SWALLOW. REMOVE AND WASH CONTAMINATED CLOTHING AND FOOTWEAR BEFORE REUSE. PRODUCT RESIDUE MAY REMAIN IN EMPTY CONTAINERS. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER. STORAGE: STORE TIGHTLY CLOSED ONLY IN ORIGINAL CORROSIVE-RESISTANT PLASTIC CONTAINER. STORE LOCKED UP. KEEP AWAY FROM HEAT, SPARK AND FLAME. STORE AT AMBIENT TEMPERATURES IN A DRY AREA OUT OF DIRECT SUNLIGHT. PROTECT FROM FREEZING. ROTATE STOCK REGULARLY. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF REACH OF CHILDREN.

MIXMATE SANITATION SYSTEM DISINFECTANT 256

MSDS 5116731M

Page 3 of 4

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE = NONE

DIOCTYL DIMETHYL AMMONIUM CHLORIDE OCTYL = NONE, DIDECYL DIMETHYL AMMONIUM

CHLORIDE = NONE, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE = NONE

ETHYL ALCOHOL = 1000 PPM TWA (ACGIH/OSHA)

ENGINEERING CONTROLS: GENERAL ROOM VENTILATION IS TYPICALLY ADEQUATE.

PERSONAL PROTECTION

EYES: CHEMICAL-SPLASH SAFETY GOGGLES.

HANDS: CHEMICAL-RESISTANT PROTECTIVE GLOVES (RUBBER OR NEOPRENE).

RESPIRATORY: PROTECTIVE EQUIPMENT NOT REQUIRED WITH NORMAL USE. NIOSH/MSHA CERTIFIED RESPIRATOR IF EXPOSURE LIMITS ARE EXCEEDED.

BODY/FEET: PROTECTIVE CLOTHING.

HYGIENE MEASURES: HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE. WASH HANDS AND AFFECTED AREAS THOROUGHLY AFTER HANDLING. PROVIDE SUITABLE FACILITIES FOR QUICK DRENCHING OR FLUSHING OF THE EYES AND BODY IN CASE OF CONTACT OR SPLASH HAZARD.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: GREEN LIQUID AUTO-IGNITION TEMPERATURE: N.AV.
ODOR: NONE ADDED DECOMPOSITION TEMPERATURE: N.AV.

pH CONCENTRATE: 7.2 EXPLOSIVE LIMITS (LEL/UEL): NONE

pH READY-TO-USE: N.AP. EVAPORATION RATE: N.AV.

PHYSICAL STATE: LIQUID

RELATIVE DENSITY (WATER): 1.000

FLAMMABILITY (SOLID, GAS): N.AP.

FLASH POINT: 54.4°C, 130°F, PMCC

INITIAL BOILING POINT/RANGE: N.AV.

SOLUBILITY (WATER): COMPLETE MELTING POINT/FREEZING POINT: N.AV.

VAPOR PRESSURE: N.AV. ODOR THRESHOLD: N.AV.

VAPOR DENSITY: N. AV. PARTITION COEFF. (N-OCTANOL/WATER): N.AV

VISCOSITY: NON-VISCOUS OTHER: N.AV.

10. STABILITY AND REACTIVITY

REACTIVITY: MIXING WITH INCOMPATIBLES CAN RELEASE HEAT AND HAZARDOUS GASES.

CHEMICAL STABILITY: STABLE.

POSSIBILITY OF HAZARDOUS REACTIONS: SEE REACTIVITY. WILL NOT POLYMERIZE.

CONDITIONS TO AVOID: AVOID HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES.

MATERIALS TO AVOID: BLEACH, METAL AND OTHER CLEANERS. MIX ONLY WITH WATER.

HAZARDOUS DECOMPOSITION PRODUCTS: NONE UNDER NORMAL CONDITIONS.

11. TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION.

INFORMATION ON ROUTES OF EXPOSURE: LC50/LD50 DATA NOT AVAILABLE ON MIXTURE.

ACUTE EFFECTS /SYMPTOMS: CORROSIVE TO ALL BODY TISSUES.

EYES: CAUSES SERIOUS EYE DAMAGE. MAY CAUSE PAIN, REDNESS AND WATERING.

SKIN: CAUSES SEVERE SKIN BURNS. MAY CAUSE DELAYED PAIN, REDNESS AND BLISTERING.

INGESTION: CAUSES BURNS AND SERIOUS DAMAGE TO MOUTH, THROAT AND STOMACH.

INHALATION: MAY CAUSE IRRITATION AND CORROSIVE EFFECTS TO NOSE, THROAT, AND

RESPIRATORY SYSTEM. MAY CAUSE COUGHING AND DIFFICULTY BREATHING.

CHRONIC / OTHER EFFECTS: NO REPORTABLE GERM CELL MUTAGENS, SKIN SENSITIZERS,

RESPIRATORY SENSITIZERS, REPRODUCTIVE TOXINS OR ASPIRATION HAZARDS.

SPECIFIC TARGET ORGANS (SINGLE): NONE KNOWN.

SPECIFIC TARGET ORGANS (REPEATED): NONE KNOWN.

NUMERICAL MEASURES OF TOXICITY: ACUTE ORAL LD50 (RAT) = 2146 MG / KG

CARCINOGENS: NO REPORTABLE ACGIH, IARC, NTP, OR OSHA CARCINOGENS.

MIXMATE SANITATION SYSTEM DISINFECTANT 256

MSDS 5116731M

12. ECOLOGICAL INFORMATION

Page 4 of 4

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Flammable Waste (RCRA Class D001) and Corrosive Waste (RCRA Class D002). Dispose of contents in accordance with all federal, state and local applicable laws and regulations.

See Section 8 for Exposure Controls/Personal Protection to minimize exposure.

Pesticide label disposal information: STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL — Nonrefillable container. Do not reuse or refill this container. After rinsing container, offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. RINSING INSTRUCTIONS — Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ½ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

14. TRANSPORT INFORMATION

DOT DESCRIPTION FOR SIZE UNDER 5 L (CODE 5116791, 5497247 AND 101105862):

UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, QUATERNARY AMMONIUM CHLORIDE), 3 (8), III, LTD. QTY.

DOT DESCRIPTION FOR SIZE OVER 5 L (CODE 5374351 AND 5501584):

UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, QUATERNARY AMMONIUM CHLORIDE), 3 (8), III IMDG DESCRIPTION FOR SIZE OVER 5 L: UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S.

(ETHANOL, QUATERNARY AMMONIUM CHLORIDE), 3 (8), III (54C (cc))

15. REGULATORY INFORMATION

EPA CERCLA RQ: NO **EPA REGISTERED:** YES (1839-167-7546) This chemical is a pesticide product registered by the environmental protection agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: **DANGER. CORROSIVE.** Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. Harmful if swallowed. **Combustible.**

OSHA HAZARDOUS: YES. SEE SECTION 8 TO MINIMIZE EXPOSURE.

PHOSPHORUS CONTENT: 0.00%

PROPOSITION 65: NO

SARA 311/312 HAZARD CATEGORIES: SEE SECTION 2 FOR GHS HAZARD CLASSES.

SARA 313 CHEMICALS: NO STATE RIGHT TO KNOW: EPA EXEMPT

TSCA INVENTORY STATUS: ALL COMPONENTS ARE LISTED ON THE INVENTORY.

USE DILUTION: SEE LABEL. NO PPE OR SDS REQUIRED AT PROPER LABEL USE DILUTIONS.

VOC: 4.77% CALCULATION METHOD USED IS BASED ON CALIFORNIA ARB STANDARD.

16. OTHER INFORMATION

PREPARATION DATE: 7-22-21 **PREPARED BY:** RC **ABBREVIATIONS:** N.AV. = NOT AVAILABLE **REVISED SECTION:** 16 N.AP. = NOT APPLICABLE

NOTICE TO READER

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.